






There are moments during the day that go beyond a right angle and seek the sinuous embracing line that supports the body, protects and relaxes it. These are moments for the AUKI armchair. Like a shell, its curved shape gently opens up to create a subtle armrest. The headrest and stool complete its sheer comfort and transform the chair into an elegant chaise-longue. A wide choice of base supports, for the two different complementary small tables, square and round, enhance this perfectly versatile armchair.





S112 | Upholstered armchair metal legs


AUKI | S112 S113 S115 S117 S118





S113 | Lounge chair star-shaped swivel base


AUKI | S112 S113 S115 S117 S118





S115 | Upholstered armchair wood legs


AUKI | S112 S113 S115 S117 S118





S117 | Lounge chair round swivel base

AUKI | S112 S113 S115 S117 S118






S114 | Upholstered footrest star-shaped metal base

AUKI | S114 S116

Footstool with fire-retardant moulded polyurethane foam upholstered with fabric, soft leather or eco-leather. 4-star metal base powder coated or mat chromed or with wooden legs.








S116 | Upholstered footrest wood legs

AUKI | S114 S116


Footstool with fire-retardant moulded polyurethane foam upholstered with fabric, soft leather or eco-leather. 4-star metal base powder coated or mat chromed or with wooden legs.





P19 | Round small table With ash legs Ø80 H.40


Coffee table with natural ash wood legs or black stained open pore. Top in HPL Fenix black or white.





H40 With star-shaped base Ø60 60x60 | Ø80 80x80


Coffee table with metal legs powder coated or mat chromed. Top in HPL in several finishes and dimensions.





H72 star-shaped base Ø60 60x60 | Ø80 80x80

Table with 4 star base and metal column, all mat chromed or powder coated. Top in several finishes and dimensions.





Hee Welling | 2015

frame



powder coating black



wood natural ash 1 Colors



wood black open pore 1 Colors



metal mat chromed



metal stainless steel 1 Colors

top

1 Colors



HPI 10 mm HPL fenix 2 Colors



laminate 406 abet 9/10 1 Colors



HPL H406

HPI 10 mm

white



wood HPL blanched oak blanched oak



hoow black open pore



hoow oak dark walnut 1 Colors



upholstery



Hallingdal 65 47 Colors



fabric Swina 24 Colors



Canvas 2 40 Colors



fabric 43 Colors



fabric Steelcut Trio 3 48 Colors



fabric Jet 44 Colors



Clara 2 24 Colors





fabric Fiord 24 Colors





fabric Divina MD 24 Colors







fabric Divina Melange 2 24 Colors



fabric Tonica 2 39 Colors

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.