




























MÁNI ARMSHELL PLA ST/ADJ		DESIGN: WELLINGLUDWIK	1136
	Description: Adjustable stool with stainless steel base, chromed or painted footrest, shell and seat in polypropylene. Stool base: Ø45 cm.		
	Use: indoor		
	 0	 0 ^A	 0 ^A 0 ^B
			 1 ^A 1 ^B
			 1
	 93/113	 55/75	 61
		 56	 79/99
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.		
COMPONENTS	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustment mechanism operated by a steel lever. Shell-mount in metal plate.		
	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.		
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).		
	Gliders are made of plastic material, black coloured.		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
CERTIFICATION	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.		
	REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse.		
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MÁNI ARMSHELL PLA+F ST/ADJ		DESIGN: WELLINGLUDWIK		1136				
	Description: Adjustable stool with stainless steel base, chromed or painted footrest, polypropylene shell and upholstered seat. Stool base: Ø45 cm.							
	Use: indoor							
		 0	 0 ^A	 0 ^A 0 ^D	 0 ^A 0 ^D	 0		
		 93-113	 56-76	 61	 56	 79-99	 40	 0,80
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.							
COMPONENTS	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustment mechanism operated by a steel lever. Shell-mount in metal plate.							
	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.							
CERTIFICATION	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).							
	The cushion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.							
ORDINARY CLEANING AND MAINTENANCE	Gliders are made of plastic material, black coloured. On request glides with felt slide base							
	Packaging is made of corrugated double wave cardboard box and protective elements.							
EXTRAORDINARY MAINTENANCE	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.							
	REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).							
PRECAUTIONS FOR USE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.							
	* For upholstered version, download our cleaning and maintenance fabric guide from our download area.							
ECOLOGY	Supplier suggested personnel only.							
	The stool must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.							
WARRANTY	Armet srl is not liable for any damage that may result from the product misuse.							
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.							
WARRANTY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.							
	24 + 2 months as referred to in 99/44/CE European directive.							
This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.								

MÁNI ARMSHELL PLA+W ST/ADJ DESIGN: WELLINGLUDWIK		1136
	<p>Description: Adjustable stool with stainless steel base, chromed or painted footrest, polypropylene shell and basic veneer wooden seat. Stool base: Ø45 cm.</p>	
	<p>Use: indoor</p>	
		
		
END USE	<p>Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.</p> <p>The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustment mechanism operated by a steel lever. Shell-mount in metal plate.</p> <p>The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.</p> <p>The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).</p> <p>The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.</p> <p>Gliders are made of plastic material, black coloured. On request glides with felt slide base</p> <p>Packaging is made of corrugated double wave cardboard box and protective elements.</p> <p>Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.</p>	
COMPONENTS		
CERTIFICATION	<p>REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).</p>	
ORDINARY CLEANING AND MAINTENANCE	<p>Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.</p>	
EXTRAORDINARY MAINTENANCE	<p>Supplier suggested personnel only.</p>	
PRECAUTIONS FOR USE	<p>The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.</p> <p>Arrmet srl is not liable for any damage that may result from the product misuse.</p>	
ECOLOGY	<p>Harmful substances This product is not toxic nor hazardous to human health, animals or environment.</p> <p>Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.</p>	
WARRANTY	<p>24 + 2 months as referred to in 99/44/CE European directive.</p>	

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MÁNI ARMSHELL FA ST/ADJ

DESIGN: WELLINGLUDWIK

1136



Description: Adjustable stool with stainless steel base, chromed or painted footrest and polypropylene shell and seat with flame-retardant polyurethane foam, upholstered. Stool base: Ø45 cm.

Use: indoor

0	0 ^A	0 ^A 0 ^B	1 ^A 1 ^B	1				
93-113	56/76	61	56	79/99	160	3,00		

END USE

Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.

The **ballast** is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustment mechanism operated by a steel lever. Shell-mount in metal plate.

COMPONENTS

The **footrest** is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated.

The **gas spring** is chromium plated.

The **shell** is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.

Gliders are made of plastic material, black coloured. On request gliders with felt slide base

Packaging is made of corrugated double wave cardboard box and protective elements.

Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.

CERTIFICATION

REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).

ORDINARY CLEANING AND MAINTENANCE

Any spills should be wiped up immediately with a clean, dry rag.
Use neutral detergents only.
Avoid cleaning with abrasive sponges.
* For upholstered version, download our cleaning and maintenance fabric guide from our download area.

EXTRAORDINARY MAINTENANCE

Supplier suggested personnel only.

PRECAUTIONS FOR USE

The chair must be used with its four legs resting on the floor at all times.
Do not sit on the back.
Do not stand on the chair.
Check periodically that the screws are correctly tightened.
Be careful not to sit off the seating centre.
Please keep away from any heating source.
We advise not to use this product when exceeding 100 Kg load limit.
The product could change the colour and shade, if exposed to direct sunlight.
Wood could be easily damaged. Small imperfection or impurities are within standard quality range.
In case of children use, please consider the supervision of an adult.

Armet srl is not liable for any damage that may result from the product misuse.

ECOLOGY

Harmful substances
This product is not toxic nor hazardous to human health, animals or environment.

Waste disposal
Dispose this product responsibly after use at the end of its life.
Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.
This products can be easily disassembled, facilitating disposal.

WARRANTY

24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.